BRIGHTWELL



MULTIPLEX DISTRIBUTOR (PNEUMATIC)

MULTIPLEX ACCESSORY



Technical Specifications

	Value	
MATERIAL	Common for all valves Material: PVDF Thread: 3/8" (Female)	
VALVES	Material: PVDF Connector: 3/8" - Tube 10mm	
CONFIGURATIONS	5+1 10+1 7+1 12+1 9+1	
VALVE TYPE	Pneumatic solenoid valves	
PNEUMATIC ACTUATORS	Working pressure: 4 bar Sealing disc: PTFE Block-independent modular replacement Body material: Super PFA	
VOLTAGE	24 VDC	
RECOMMENDED INSTALLATION MATERIALS	Air supply tube: Polyurethane 8mm Multi-core cable section 0.5mm	

Description

- Modular accessory to combine with Multiplex 1 Pro or Multiplex 2 Pro.
- Allows dosing to multiple washers with a single dispensing unit, providing maximum versatility and flexibility.

Pneumatic valves: ensure precise and stable control.

Simple Integration: Easily connects to Multiplex dispensing units.


Total Compatibility: Modular design to work with all elements of the Multiplex System.

Robust Construction: Increased durability and strength. Reduced maintenance costs.

Details

Part Code	Description	Width	Height	Depth
A500D2W05	MULTIPLEX PNEUMATIC DISTRIBUTOR -W5 V6	550 mm	300 mm	149 mm
A500D2W07	MULTIPLEX PNEUMATIC DISTRIBUTOR -W7 V8	550 mm	300 mm	149 mm
A500D2W09	MULTIPLEX PNEUMATIC DISTRIBUTOR -W9 V10	625 mm	300 mm	149 mm
A500D2W10	MULTIPLEX PNEUMATIC DISTRIBUTOR -W10 V11	625 mm	300 mm	149 mm
A500D2W12	MULTIPLEX PNEUMATIC DISTRIBUTOR -W12 V13	865 mm	300 mm	149 mm

Diagram



Dimensions (mm)

	Width	Height	Depth
5+1	550	300	149
7+1	625	300	149
9+1	865	300	149
10 + 1 / 12 + 1	975	300	149

Weight

4+1 / 5+1	4 kg (approx)
6+1 / 7+1	6 kg (approx)
8+1 / 9+1	7 kg (approx)
10 + 1 / 12 + 1	9 kg (approx)

Diagram

